

Search Authors...



Translate Website

Search...



GR Newsletter, Enter Email



Italiano Deutsch Português srpski العربية 中文  
Notre site en Français: mondialisation.ca  
Nuestro sitio en español: Globalización  
Asia-Pacific Research

US Nato War Economy Civil Rights Environment Poverty Media Justice 9/11 War Crimes Militarization History Science

## Documentul confidențial Pfizer arată că compania a observat 1,6 milioane de evenimente adverse care acoperă aproape fiecare sistem de organe.

De [Daniel Horowitz](#)

Cercetare globală, 21 iunie 2023  
[Revista conservatoare](#) 14 iunie 2023

Regiunea: Europa  
Tema: Știință și Medicină



Translate Website



Toate articolele Global Research pot fi citite în 51 de limbi prin activarea butonului Traducere site-ul web de sub numele autorului.

Pentru a primi Newsletter-ul zilnic al Global Research (articole selectate), [faceți clic aici](#).

Faceți clic pe butonul de distribuie de mai sus pentru a trimite prin e-mail/redirecționare acest articol prietenilor și colegilor dvs. Urmărește-ne pe [Instagram](#) și [Twitter](#) și abonează-te la [canalul nostru Telegram](#). Simțiți-vă liber să raportați și să distribuiți pe scară largă articolele Global Research.

\*\*\*

*Peste 10.000 de categorii de aproape 1,6 milioane de evenimente adverse – multe dintre ele grave și debilitante – aduse de Pfizer!*

Poate că nu ați auzit-o la știri, dar în ultimele luni au fost lansate documentele de farmacovigilență ale Pfizer solicitate de autoritatea de reglementare a medicamentelor din Uniunea Europeană, Agenția Europeană pentru Medicamente. Ei arată că Pfizer a știut de la un nivel revoltător de răni de la început. Un document din august 2022 arată că compania a observat deja următorul domeniu de aplicare a vătămării prin vaccin:

- 508.351 rapoarte de cazuri individuale de evenimente adverse care conțin 1.597.673 de evenimente;
- O treime din EA au fost clasificate ca fiind grave, cu mult peste standardul pentru semnalele de siguranță, de obicei fixat la 15%;
- Femeile au raportat EI cu o rată de trei ori mai mare decât bărbații;
- 60% din cazuri au fost raportate fie cu „rezultat necunoscut” fie „nerecuperat”, astfel încât multe dintre leziuni nu au fost tranzitorii;

Cel mai mare număr de cazuri a avut loc în grupa de vârstă 31-50 de ani, iar 92% nu au avut comorbidități, ceea ce face foarte probabil ca vaccinul să fie cauza unei leziuni atât de răspândite și subite.

These numbers alone suggest that all COVID shots should be defunded and Congress must immediately remove liability protections from the manufacturers. But a more recent document released by the Europeans is even more devastating, because it breaks down the 1.6 million adverse events observed by Pfizer by category and subcategory of ailment and injury.

The [393-page](#) confidential Pfizer document, dated Aug. 19, 2022, shows that Pfizer observed over 10,000 categories of diagnosis, many of them very severe and very rare. For example:

- Pfizer was aware of 73,542 cases of 264 categories of vascular disorders from the shots. Many of them are rare conditions.
- There were hundreds of categories of nervous system disorders, totaling 696,508 cases.
- There were 61,518 AEs from well over 100 categories of eye disorders, which is unusual for a vaccine injury.
- Likewise, there were over 47,000 ear disorders, including almost 16,000 cases of tinnitus, which even Mayo Clinic researchers [observed](#) as a common but often devastating side effect early on.
- There were roughly 225,000 cases of skin and tissue disorders.
- There were roughly 190,000 cases of respiratory disorders.
- Disturbingly, there were over 178,000 cases of reproductive or breast disorders, including disorders you wouldn't expect, such as 506 cases of erectile dysfunction in men.
- Very disturbingly, there were over 77,000 psychiatric disorders observed following the shots, lending credence to [Dr. Peter McCullough's research observing](#) case studies showing psychosis correlating with vaccination.
- 3,711 cases of tumors – benign and malignant
- Of course, there were almost 127,000 cardiac disorders, running the gamut of about 270 categories of heart damage, including many rare disorders, in addition to myocarditis.
- There were over 100,000 blood and lymphatic disorders, for both of which there's a wealth of literature linking them to the spike protein.

When reading what Pfizer knew early on juxtaposed to independent studies, it's clear that nobody could have mistaken most of these AEs for mere incidental ailments. [Here is a list of 3,129 case studies](#) chronicling vaccine injury in every organ system observed in this Pfizer document.

What is so jarring is that there are hundreds of very rare neurological disorders that reflect something so systemically wrong with the shots, a reality that was clearly of no concern to the manufacturers and regulators alike. One of the infamous cases of vaccine injury was Maddie de Garay, an Ohio teen who became disabled for life immediately after participating in the Pfizer clinical trial. Her story is chronicled in [chapter 16 of my book](#). I checked this confidential document and found that they knew of 68 cases of her rare diagnosis, chronic inflammatory demyelinating polyneuropathy.

090177e19b0e6b61Approved On: 19-Aug-2022 10:22 (GMT)

Preferred Term	Total # of Spontaneous AE	I	C	I	C	I	C
Cerebral venous thrombosis	235	66	235			2	6
Cerebral ventricle dilatation	15	5	11	1	4	1	2
Cerebral ventricular rupture	14	3	14				
Cerebrosclerosis	1	1	1				
Cerebrospinal fluid circulation disorder	4		2	1	2		
Cerebrospinal fluid leakage	21	7	21				
Cerebrospinal fluid retention	1	1	1				
Cerebrovascular accident	4369	1331	4369			28	42
Cerebrovascular disorder	120	29	95	10	25	1	2
Cerebrovascular insufficiency	3	1	3				
Cerebrovascular stenosis	3	2	3				
Cervical cord compression	3	1	3				
Cervical radiculopathy	121	17	46	20	75		
Cervical spinal cord paralysis	3	2	3				
Cervicobrachial syndrome	158	19	60	35	96		
Cervicogenic headache	21	1	5	3	16		
Cervicogenic vertigo	6		1	2	5		
Change in seizure presentation	2		2				
Cholinergic syndrome	20	4	20				
Chorea	27	5	21	3	6		
Choreoathetosis	3			1	3		
Chronic inflammatory demyelinating polyradiculoneuropathy	68	39	66				
Chronic lymphocytic inflammation with pontine perivascular	1		1				
Chronic paroxysmal hemiorania	1	1	1				
Circadian rhythm sleep disorder	35	5	11	6	24		1
Claude's syndrome	3	1	3				
Clinically isolated syndrome	18	6	18				

\* Interval, C=Cumulative  
\* All-Adverse Event  
\* Multiple adverse events coding to the same Preferred Term may have been reported in some cases. Counts are provided for the number of unique Preferred Terms reported.

Page 1088

The broad scope of injuries affecting every single organ system is simply extraordinary. Yet to this day, the FDA continues to criminally label the Pfizer shot as safe and effective. To this day, the label indicates the shot is a fully protective vaccine and also fails to mention all of these side effects, as required by law.

Recently, Peter Doshi, editor of the British Medical Journal, wrote a letter to the FDA requesting that the agency update its labeling to reflect the reality of what we've learned about the shots. Specifically, he asked that they include the following side effects on the label: multisystem inflammatory syndrome in children, pulmonary embolism, sudden cardiac death, neuropathic and autonomic disorders, decreased sperm concentration, heavy menstrual bleeding, and detection of vaccine mRNA in breast milk. The causal relationship of all these AEs to the vaccine is backed by substantial research, surveys, and adverse event reporting systems.

Unfortunately, the FDA denied the causal relationship between any of these side effects and the COVID shots. Even with regard to the request that officials clarify on the label that the shots don't stop transmission, the FDA replied, "We are not convinced that there is any widespread misconception about this."

"Product labeling should be informative and accurate, not promotional. The law requires it, and following the law shouldn't be optional," [bemoaned Doshi](#) and the other authors in a piece at TheHill.com.

The question is whether Republicans in the House will force the FDA to comply with the law by using the leverage of the appropriations bills for the FDA and HHS. So far, there has been no reckoning for their false marketing and the devastating human toll it has cost. Oh, and that is just the short-term human toll.

\*

Note to readers: Please click the share button above. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

Featured image: A hand holding an mRNA vaccine vial. (Spencer Davis / Unsplash)

## Annex: Periodic Safety Update Report # 3 for COVID-19 mRNA Vaccine (BNT162b2)

**PERIODIC SAFETY UPDATE REPORT #3**  
**for**  
**ACTIVE SUBSTANCE: COVID 19 mRNA vaccine (nucleoside modified) (BNT162b2)<sup>1</sup>**  
**ATC CODE: J07BX03<sup>2</sup>**

**AUTHORISATION PROCEDURE in the EU: Centralised**

**INTERNATIONAL BIRTH DATE (IBD)<sup>3</sup>: 19 DECEMBER 2020**

**EUROPEAN UNION REFERENCE DATE (EURD): 19 DECEMBER 2020**

**INTERVAL COVERED BY THIS REPORT:**

**19 DECEMBER 2021 through 18 JUNE 2022**

**DATE OF THIS REPORT: 18 AUGUST 2022**

**SIGNATURE:** [REDACTED] **Date: 18 August 2022**

NAME AND CONTACT DETAILS OF THE QPPV:	
<b>EU Qualified Person</b> Barbara De Bernardi, MD [REDACTED]	telephone: [REDACTED] fax number: [REDACTED] email: [REDACTED]
<b>EU Qualified Person Deputy</b> [REDACTED]	telephone: [REDACTED] fax number: [REDACTED] email: [REDACTED]

**Marketing Authorisation Holder:**  
**BioNTech Manufacturing GmbH**  
An der Goldgrube 12  
55131 Mainz  
Germany

**Please note that this report may contain unblinded clinical trial information.**

The information contained in this document is proprietary and confidential. Any disclosure, reproduction, distribution, or other dissemination of this information outside of Pfizer and BioNTech, its Affiliates, its Licensees, or Regulatory Agencies is strictly prohibited. Except as may be otherwise agreed to in writing, by accepting or reviewing these materials, you agree to hold such information in confidence and not to disclose it to others (except where required by applicable law), nor to use it for unauthorized purposes.

<sup>1</sup> Change of the name of the active substance from COVID-19 mRNA Vaccine (nucleoside modified) to Tozinameran in EU (EMA/H/C/005735/X/0044/G).

<sup>2</sup> Implementation as new ATC code starting from 01 January 2022.

<sup>3</sup> Earliest conditional approval date.

## EXECUTIVE SUMMARY

This is the 3<sup>rd</sup> Periodic Safety Update Report (PSUR) for COVID-19 mRNA vaccine (nucleoside modified) (Coronavirus disease 2019 [COVID-19] mRNA Vaccine, COMIRNATY<sup>®</sup>, also referred to as BNT162b2)<sup>4</sup>, covering the reporting interval 19 December 2021 through 18 June 2022.

A product description is provided in Table 1.

**Table 1. Product Description<sup>a</sup>**

<b>Therapeutic class</b>	The active substance of the COVID-19 mRNA vaccine is a highly purified single-stranded, 5'-capped mRNA produced using a cell-free <i>in vitro</i> transcription from the corresponding DNA template, encoding the viral spike (S) protein of SARS-CoV-2.		
<b>Mechanism of action</b>	The nucleoside-modified mRNA is formulated in LNPs, which enable delivery of the RNA into host cells to allow expression of the SARS-CoV-2 S antigen. The vaccine elicits both neutralising antibody and cellular immune responses to the spike (S) antigen, which may contribute to protection against COVID-19.		
<b>Indications</b>	Active immunisation to prevent COVID-19 caused by SARS-CoV-2 virus, in individuals 5 years of age and older.		
<b>Formulation and route of administration</b>	The vaccine is a white to off-white frozen solution, is administered intramuscularly in the deltoid muscle and is available in 3 presentations.		
	<i>Purple cap (for 12 years of age and older)</i>	<i>Grey cap (for 12 years of age and older)</i>	<i>Orange cap (for age 5 years to &lt;12 years)</i>
	Concentrate for dispersion for injection	Dispersion for injection	Concentrate for dispersion for injection
	30 micrograms/dose	30 micrograms/dose	10 micrograms/dose
	Requires dilution	Do not dilute	Requires dilution
<b>Posology</b>	PBS/Sucrose presentation	Tris/Sucrose presentation	Tris/Sucrose presentation
	<p><b>Individuals aged 12 years and older</b> The 2 formulations (purple cap and grey cap) are administered as 30 µg/dose as a primary series of 2 doses (0.3 mL each) at greater than or equal to 21 days (preferably 3 weeks) apart. A booster dose (third dose) may be administered approximately 6 months after the second dose in individuals 16 years of age and older.</p> <p><b>Individuals aged 5 through 11 years</b> The Tris/Sucrose formulation (orange cap) is administered after dilution as a primary series of 2 doses (0.2 mL) at greater than or equal to 21 days (preferably 3 weeks) apart. A booster dose may be administered at least 6 months after the second dose.</p>		

a. As per information reported in the Core Data Sheet version 13.0 dated 10 May 2022, in effect at the end of the reporting period. Since 17 June 2022, BNT162b2 is approved in individuals 6 months of age and older, as the paediatric Tris/Sucrose presentation - maroon cap was approved in the United States. Please refer below for details on this new formulation.

Abbreviations: COVID-19 = coronavirus disease 2019; DNA = deoxyribonucleic acid; LNP = lipid nanoparticle; mRNA = messenger ribonucleic acid; PBS = phosphate buffered saline; RNA = ribonucleic acid; S = spike; SARS-CoV-2 = severe acute respiratory syndrome coronavirus 2.

<sup>4</sup> Also referred to as Pfizer-BioNTech COVID-19 vaccine in other Company's documents.

On 17 June 2022, an additional formulation was approved first in the United States (US): the paediatric Tris/Sucrose presentation - maroon cap (3 micrograms/dose) for individuals aged between 6 months and 4 years. This is a concentrate for dispersion for injection, to be administered after dilution intramuscularly in the anterolateral aspect of the thigh (or in the deltoid muscle in individuals 1 year of age and older) as a primary series of 3 doses (0.2 mL). The initial 2 doses are administered 3 weeks apart followed by a third dose administered at least 8 weeks after the second dose.

Cumulatively, it is estimated that 66,656<sup>5</sup> participants have received BNT162b2 in sponsor initiated clinical trials worldwide, with 59,260 participants exposed to BNT162b2, 1836 participants exposed to clinical candidates developed as variant vaccines based on BNT162b2 (BNT162b2 [B.1.351], BNT162b2 [B.1.1.7 + B.1.617.2], BNT162b2 [B.1.617.2] and BNT162b2 [B.1.1.7]) and 633 participants exposed to other early development candidates (including BNT162a1 [30], BNT162b1 [411] to, BNT162b3 and BNT162c2 [96 participants each]). There were 7044 participants exposed to blinded therapy and 5871 to placebo.

There were 372 participants who received BNT162b2 as a study vaccine or as a comparator in another Pfizer clinical development program (B747).

From the receipt of the first temporary authorisation for emergency supply on 01 December 2020<sup>6</sup> through 18 June 2022, approximately 3,555,998,805 doses of BNT162b2 were shipped from BioNTech and Pfizer worldwide, corresponding to 2,693,922,584 estimated administered doses.

During the current reporting interval (19 December 2021 through 18 June 2022), approximately 1,115,282,160 doses of BNT162b2 were shipped from BioNTech and Pfizer worldwide, corresponding to 843,724,061 estimated administered doses.<sup>7</sup>

Overall, through 18 June 2022, a total of 143,844,450 adult Tris/Sucrose doses and a total of 229,269,400 paediatric Tris/Sucrose doses were shipped worldwide.

Additionally, as per data provided by license partner (LP) in Hong Kong, Macau, and Taiwan, 27,314,884 doses of BNT162b2 were administered cumulatively through 21 June 2022 and 12,126,713 dose were administered from 19 December 2021 through 21 June 2022.

<sup>5</sup> Participants to more than one clinical trial (e.g., extension study) are counted once when receiving the same treatment in the parent study.

<sup>6</sup> BNT162b2 received first temporary authorisation for emergency supply under Regulation 174 in the UK on this date.

<sup>7</sup> License Partner data are not included in the reported amount.

Details about BNT162b2 marketing authorisation by type of formulation, and population include:

- The PBS/Sucrose 30 µg formulation for individuals aged 16 years and older has received approvals in 103 countries<sup>8</sup> including full (5), conditional (49), emergency use authorisation (EUA) and other type of approvals (52).
- The PBS/Sucrose 30 µg formulation for individuals aged between 12 and 15 years has received approvals in 81 countries<sup>9</sup> including full (2), conditional (46), EUA and other type of approvals (34).
- The Tris/Sucrose 30 µg formulation for individuals aged 12 years and older has received approvals in 73 countries<sup>10</sup> including full (3), conditional (44), EUA and other type of approvals (28).
- The Tris/Sucrose 10 µg formulation for individuals aged between 5 and 11 years has received approvals in 79 countries<sup>9</sup> including full (2), conditional (43), EUA and other type of approvals (35).
- The Tris/Sucrose 3 µg formulation for individuals aged between 6 months and 4 years has received EUA approval in the US.
- The booster dose has received approvals in 83 countries<sup>11</sup> including full (3), conditional (46), EUA and other type of approvals (36).

The use of BNT162b2 in individuals aged 12 years and older is under EUA in Hong Kong and under a special import permit in Macau and Taiwan. In Hong Kong only the PBS/Sucrose – Purple cap formulation was approved.

The marketing authorisation holders (MAHs) of BNT162b2 are the following: BioNTech (56 countries); Pfizer (40 countries), the local Ministry of Health (MoH) and local Government (3 countries each), the LP Fosun Pharma (2 countries), and the LP Hemas (1 country).

In addition, World Health Organization (WHO) had approved the Emergency Use Listing (EUL) of BNT162b2.

There were no marketing authorisation withdrawals for safety reasons during the reporting interval.

---

<sup>8</sup> For this population, both conditional and EUA approvals were granted in the United Kingdom (UK), full and EUA approvals in Singapore and the US.

<sup>9</sup> Both conditional and EUA approvals for this population were granted in the UK.

<sup>10</sup> For this population, both conditional and EUA approvals were granted in the UK, full and EUA approvals in the US.

<sup>11</sup> For this population, both conditional and EUA approvals were granted in the UK, full and EUA approvals in Singapore.

During the reporting period, no actions have been taken with respect to BNT162b2 for safety reasons, either by a Health Authority (HA) or by the MAH. Although not considered by definition a regulatory action taken for safety reasons because it does not significantly impact the benefit risk balance of use of the product in authorised populations, due to the receipt of spontaneous reports of Guillain-Barré syndrome (GBS) after vaccination with mRNA COVID-19 vaccines including BNT162b2, Pharmaceuticals and Medical Devices Agency (PMDA) in Japan has required class changes to include GBS in the important precautions section of the Japan package insert<sup>12</sup> and inclusion of GBS as an important potential risk in the Japan Risk Management Plan (RMP)<sup>13</sup>. It should be noted that based on PMDA assessment, the frequency of reported cases of GBS was not significantly higher than the background incidence in any gender or age group and a mechanism is not known.

The reference safety information (RSI) for this PSUR is the COVID 19 mRNA vaccine Core Data Sheet (CDS) version 13.0 dated 10 May 2022, in effect at the end of the reporting period.

Four (4) previous CDS versions (version 9.0 dated 02 December 2021<sup>14</sup>, version 10.0 dated 21 December 2021, version 11.0 dated 14 January 2022 and version 12.0 dated 23 March 2022<sup>14</sup>) were also in effect during the reporting period.

Safety-related changes included updates of the following sections: 4.2 *Posology and method of administration* (CDS version 13.0), 4.8 *Undesirable effects* (CDS versions 10.0, 11.0 and 13.0), 5.1 *Pharmacodynamic properties* (CDS versions 10.0 and 11.0), Appendix A, Appendix B (CDS version 10.0).

During the reporting period, the following signals were addressed:

- Signals determined not to be risks: Appendicitis, Hemolytic anemia, Uveitis, Exacerbation and/or flare of underlying autoimmune disease or inflammatory disorders, Capillary leak syndrome (CLS), Corneal graft rejection, Vasculitis, Cerebral venous sinus thrombosis (CVST), Lymphocytic colitis, Chronic urticaria, Polymyalgia rheumatica (PMR), Subacute thyroiditis (SAT), Cerebrovascular accident (CVA)/stroke, Amenorrhea, Heavy menstrual bleeding, Loss of/ altered taste and smell.
- Signal determined to be an identified risk (not important): Irritability.

<sup>12</sup> The Japan package insert was updated by the MAH during the current reporting period, on 10 June 2022.

<sup>13</sup> Guillain-Barré syndrome was added as important potential risk to the safety concerns in the Japan RMP after Data Lock Point (DLP) of this PSUR, on 22 June 2022.

<sup>14</sup> This version of the CDS did not include any safety-related changes.

- Signal determined to be an important identified risk: Myocarditis and pericarditis<sup>15</sup>.
- Ongoing signal: Hearing loss.

Commitments to be addressed in this PSUR were received from European Medicines Agency (EMA), World Health Organization (WHO) and Health Canada. The Pharmacovigilance Risk Assessment Committee (PRAC) requests were included in the Assessment Reports (ARs) of the Summary Safety Reports (SSRs), in the Final AR of PSUR #2 and in signals' AR. The WHO requests were included in the EUL Procedure. Topics covered in these commitments are summarised in the table below.


HA	Commitment(s)
PRAC	Closely monitoring multisystem inflammatory syndrome in children and in adults (MIS-C/A) and reporting of new cases of MIS.
	Observed vs Expected (O/E) analyses using at least no risk window, 14-day risk window and 21-day risk window and sensitivity O/E analyses which include the processed cases plus the backlog cases.
	Assessment of the used study methods in not (yet) peer-reviewed retrieved relevant literature to determine if the study results are valid or not.
	More effort in presenting/evaluating the cases considered to be confounded and present the risk factors for developing the respective conditions.
	Use of follow-up questionnaires anaphylaxis and vaccine associated enhanced disease/vaccine associated enhanced respiratory disease (VAED/VAERD).
	Presentation of all relevant literature concerning the safety of Comirnaty (also besides the database Medline and Embase) during the reporting period.
	Safety evaluation of sudden sensorineural hearing loss, tinnitus, glomerulonephritis and nephrotic syndrome, autoimmune hepatitis, dizziness, acquired haemophilia, IgA nephropathy.
	Continue to report on the number of processed cases downloaded from EudraVigilance.
	Estimate of the exposure of "third doses" in European economic area (EEA) countries, per country and by age group.
	Handling and dosing errors as result of different BNT162b2 formulations on the market.
WHO	Pregnancy outcome in clinical trials.
Health Canada	Data on low- and middle-income countries (LMICs) populations with HIV, malnutrition and tuberculosis and other infectious diseases.
	Review on the new variant "Omicron" and other variants.
	Safety evaluation of tinnitus and hearing loss.

According to the European Risk Management Plan (EU-RMP) version 4.0 adopted on 26 November 2021, in effect at the beginning of the reporting period, safety concerns for BNT162b2 are:

- Important identified risks: Anaphylaxis; Myocarditis and Pericarditis
- Important potential risk: Vaccine-associated enhanced disease (VAED) including Vaccine-associated enhanced respiratory disease (VAERD)
- Missing information: Use in pregnancy and while breast feeding; Use in immunocompromised patients; Use in frail patients with co-morbidities (eg, chronic

<sup>15</sup> This refers to the company core list of safety concerns. Myocarditis and pericarditis were already important identified risks in the EU-RMP, US-PVP and many country-level RMP addendums.

[Click here to read the full document.](#)



## The Worldwide Corona Crisis, Global Coup d'Etat Against Humanity

by Michel Chossudovsky

Michel Chossudovsky reviews in detail how this insidious project "destroys people's lives". He provides a comprehensive analysis of everything you need to know about the "pandemic" — from the medical dimensions to the economic and social repercussions, political underpinnings, and mental and psychological impacts.

*"My objective as an author is to inform people worldwide and refute the official narrative which has been used as a justification to destabilize the economic and social fabric of entire countries, followed by the imposition of the "deadly" COVID-19 "vaccine". This crisis affects humanity in its entirety: almost 8 billion people. We stand in solidarity with our fellow human beings and our children worldwide. Truth is a powerful instrument."*

ISBN: 978-0-9879389-3-0, Year: 2022, PDF Ebook, Pages: 164, 15 Chapters

Price: ~~\$44.50~~ Get yours for FREE! [Click here to download.](#)

We encourage you to support the eBook project by making a donation through Global Research's [DonorBox](#) **"Worldwide Corona Crisis" Campaign Page.**

The original source of this article is [Conservative Review](#)  
Copyright © Daniel Horowitz, [Conservative Review](#), 2023

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)



#### Related Articles from our Archives

Video: Exclusive Photos of Graphene Oxide Found in Pfizer, AstraZeneca and Sinovac Vaccines  
8 November 2021

BMJ Whistleblower Investigation Reveals Evidence of Falsifying Data in Pivotal Pfizer COVID Vaccine Trial  
9 November 2021

Reasons to Reject the EUA of Pfizer's COVID Vaccine for Children Aged Six Months Through Four Years  
11 February 2022



Translate Website

Articles by:

**Daniel Horowitz**

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: [publications@globalresearch.ca](mailto:publications@globalresearch.ca)

[www.globalresearch.ca](http://www.globalresearch.ca) conține materiale protejate prin drepturi de autor a căror utilizare nu a fost întotdeauna autorizată în mod specific de către proprietarul drepturilor de autor. Punem la dispoziția cititorilor noștri un astfel de material în conformitate cu prevederile „utilizării loiale” într-un efort de a promova o mai bună înțelegere a problemelor politice, economice și sociale. Materialul de pe acest site este distribuit fără profit celor care și-au exprimat în prealabil interesul de a-l primi în scop de cercetare și educație. Dacă doriți să utilizați material protejat prin drepturi de autor în alte scopuri decât „utilizarea loială”, trebuie să solicitați permisiunea proprietarului drepturilor de autor.

Pentru întrebări media: [publications@globalresearch.ca](mailto:publications@globalresearch.ca)

Global Research News  
I-BOOKS SERIES  
Countries Index  
Most Popular  
Links  
Contact  
Membership  
Online Store

#### Themes

US NATO War Agenda  
Global Economy  
Crimes against Humanity  
Militarization and WMD  
Law and Justice  
Police State & Civil Rights  
History  
9/11 & 'War on Terrorism'  
Media Disinformation

#### Geographic Regions

Militarization and WMD  
Oil and Energy  
Police State & Civil Rights  
Religion  
Poverty & Social Inequality  
Science and Medicine  
United Nations  
US NATO War Agenda  
Women's Rights

[Privacy Policy](#)

Copyright © 2005-2023 GlobalResearch.ca